



## Accessibility Plan 2017-2019

### **Purpose of Plan**

The purpose of this plan is to show how Veryan CE Primary School intends, over time, to increase the accessibility of our school. We will continue to improve all aspects of the physical environment of the school site, the curriculum and written information so that all students with a disability can take full advantage of the education and associated opportunities provided by Veryan CE Primary School.

### **Definition of disability**

A person has a disability if he or she has a physical or mental impairment that has a substantial and long-term adverse effect on his or her ability to carry out normal day-to-day activities.

### **Key Objective**

To reduce and eliminate barriers for access to the curriculum and to allow full participation in the school community for pupils, and prospective pupils, with a disability.

### **Principles**

- Compliance with the DDA is consistent with our school's aims and equal opportunities policy and SEND&I policies
- The school recognises its duty under the DDA:
  - Not to discriminate against disabled pupils in their admissions and exclusions, and provision of education and associated services
  - Not to treat disabled pupils less favourably
  - To take reasonable steps to avoid putting disabled pupils at a substantial disadvantage
  - To publish an accessibility plan
- In performing their duties, School Monitoring Councils and staff will have regard to the DRC Code of Practice (2002)
- The schools recognises and values parents' knowledge of their child's disability and its effect on his/her ability to carry out normal activities, and respects the parents' and child's right to confidentiality
- The school provides all pupils with a broad and balanced curriculum, differentiated and adjusted to meet the needs of individual pupils and their preferred learning styles; and endorses the key principles in the National Curriculum Framework, which underpin the development of a more inclusive curriculum
  - Setting suitable learning challenges
  - Responding to pupils' diverse learning needs
  - Overcoming potential barriers to learning and assessment for individuals and groups of pupils

## **Increasing Access for disabled pupils to the school curriculum**

*This includes teaching and learning and the wider curriculum of the school such as participation in after school clubs, leisure and cultural activities or school visits.*

Improving teaching and learning lies at the heart of our school. Through self-review and continuous professional development, we aim to enhance staff knowledge, skills and understanding to promote excellent teaching and learning for all children. We aim to meet every child's needs within mixed ability, inclusive classes.

It is a core value of our school that all children are enabled to participate fully in the broader life of the school. Consequently, all children have always been permitted to attend age relevant after school clubs, leisure and cultural activities or school visits. The only exception would occur if a child had breached school rules e.g. through aggressive behaviour at a club, when deprivation of club attendance may be used as a suitable short-term sanction and to ensure the safety of other children.

## **Improving access to the physical environment of the school**

*This includes improvements to the physical environment of the school and physical aids to access education.*

Due to the age of our school building we have made changes where possible to the physical layout of the building, installing ramps and disabled toilets on one level in order that access to all areas of the school is possible for those with a physical disability.

Provision, in exceptional cases, will be negotiated when the child's specific needs are known. We are pleased to be able to provide a dedicated sensory/Thrive area for children needing focussed quiet space or with specific sensory needs.

We have a wide range of equipment and resources suitable for the day-to-day use of children in the age range. The school improvement plan process will consider such needs on an annual basis.

## **Improving the delivery of written information to disabled pupils**

*This will include planning to make written information (that is normally provided by the school to its pupils) available to disabled pupils. Examples might include handouts, timetables, textbooks and information about school events. The information should take account of pupils' disabilities and pupils' and parents preferred formats and be made available within a reasonable time frame.*

In planning to make written information available to disabled pupils, we again need to establish the level of current need and be able to respond swiftly to changes in the range of need. For example, it would be a misuse of finite school resources to commit funding to providing Braille or large print versions of all school materials (identified in italics above) if there are no children on roll who need such access. Such expensive resources might sit unused, eventually becoming out of date. However, the school will need to identify agencies and sources of such materials to be able to make provision whenever it is required. Clearly, the school's sophisticated ICT infrastructure will enable us to access a range of materials supportive to needs.

Teachers will always need to be sensitive to presenting materials to children in appropriate formats e.g. reading aloud, overhead projections, should that be necessary. This is a core part of a teacher's work.

## Financial Planning and control

The Premises team will make recommendations to the Premises Committee for any improvements or changes required to the accessibility plan. If there is significant financial costs these will be referred to the Finance Committee.

## Veryan CE Primary School

Veryan CE School is a co-educational school with approximately 60 children on roll whose ages range from 4 -11 years. It also includes a Nursery provision that caters for approx.10 children.

The school has 3 full time classrooms, with their own cloakroom areas. There is a library, a 'Thrive' sensory room and a fourth classroom which is used for arts and crafts, group and one-one intervention work and school lunches, which are freshly cooked in the school kitchen every day.

Outside there is a hard surface playground and a safe surface outdoor adventure climbing area adjacent to a grass area. Our early years classroom has a decking area raised above the playground allowing free flow from their classroom. The school owns and has access to a recreation field a short distance away from the main school site for sport and outdoor learning opportunities.

## APPENDIX A – 1 of 9

### Access Check List for Veryan CE Primary School– February 2018

#### Approach and Car Parking

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is the building within convenient distance of a public highway?	✓		
2	Is the building within convenient distance of public transport?	✓		
3	Is the building within convenient distance of car parking?	✓		
4	Is the route clearly marked/found?	✓		
5	Is the route free of kerbs?	✓		
6	Is the surface smooth and slip resistant?	✓		
7	Is the route wide enough?	✓		
8	Is it free of such hazards as bollards, litter bins, outward opening windows and doors or overhanging projections?	✓		
9	Is it adequately lit?	✓		
10	Is it identified by visual, audible and tactile information?		✓	
11	Is there car parking for people with reduced mobility?	✓		<b>Note 1.</b>
12	Is the car parking clearly marked out, signed, easily found and kept free from misuse?	✓		
13	Is the car parking as near the entrance as possible?	✓		
14	Is the car parking area suitably surfaced?	✓		<b>Note 2</b>
15	Is the route to the building kept free of snow, ice and fallen leaves?	✓		
16	Is the route level? (ie no gradient steeper than 1:20 and no steps)		✓	<b>Note 3</b>

Note 1. This is not currently marked but could be made available adjacent to the school taxi/bus drop off point.

Note 2. The current car parks have uneven surfaces which are not smooth or slip resistant surfaces, however the area adjacent to school as described in Note 1. Is tarmacked.

Note 3. There is a small carpark shared with the church and parking to the rear of the village hall. In addition on road parking in the adjacent highway is permitted, all of these are on a gentle slope but there are no steps between the car parking areas and the main entrance to the school building and playground.

Access Check List for VeryanCE Primary School – January 2016

Routes and external level change including ramps and steps

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is there a ramp, with level surfaces at top/intermediate/bottom?	✓		
2	Is it wide enough and suitably graded?	✓		
3	Is the surface slip resistant?	✓		
4	Are there kerbs and are there edges protected to prevent accidents?	✓		
5	Are there handrails to one or both sides?	✓		
6	Are there (alternative) steps & ramp	✓		
7	Identified by visual/tactile information?		✓	<b>Note 1</b>
8	Are there handrails to one or both sides?	✓		
9	Are ramps and steps adequately lit?	✓		
10	Are treads and risers consistent in depth and height?	✓		
11	Are all nosings marked and/or readily identifiable?		✓	<b>Note 2</b>
12	Are landings of adequate size and are they provided at intermediate levels in long flights?	✓		

**General Notes for routes and external level change including ramps and steps:**

Note 1: no tactile information in place

Note 2: highlighting of step edge at bottom entrance in playground is needed

## Access Check List for Veryan CE Primary School– January 2016

Entrances – including Reception

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is the door clearly distinguishable from the façade?	✓		
2	If glass is it visible when closed?	✓		
3	Does the clear door opening or one leaf when opened permit passage of a wheelchair or double buggy?	✓		
4	Does it have a level or flush threshold, and a recessed matwell?		✓	Note 1.
5	Is there visibility through the doorway from both sides at standing and seated levels?	✓		
6	Is there a minimum 300mm wide wheelchair manoeuvre space beside the leading edge of the door to clear doorswing?	✓		
7	Can the door furniture be used at both standing and seated height?	✓		
8	Can it be easily grasped and operated?	✓		
9	If the door has a closer mechanism does it have: <ul style="list-style-type: none"> <li>• Delayed closure action?</li> <li>• Slow-action closer?</li> <li>• Minimal closure pressure?</li> </ul>	✓		
10	If the door is power-operated does it have visual and tactile information?	N/A		
11	If the door is security-protected is the system suitable for use by and within reach of people with sensory or mobility impairments?	✓		
12	If there is a lobby, do the inner and outer doors meet the same criteria?	✓		
13	Do lobby layouts enable all users to clear one door before going through the next?	✓		
14	Are signs designed and positioned to inform those with visual impairments and wheelchair users with reduced eye levels?	✓		
15	Does the lighting installation take account of the needs of visually disabled people?	✓		
16	Are floor spaces <ul style="list-style-type: none"> <li>• Slip resistant, even when wet?</li> <li>• Of a quality that is sympathetic to acoustics – ie not so 'hard' as to cause acoustic confusion?</li> <li>• Firm for wheelchair manoeuvre</li> </ul>	✓		
17	Are junctions between floor surfaces arranged in a way that avoids presenting tripping hazards and causing visual confusion?		✓	See note 1
18	Is any reception point suitable for approach and use from both sides by people in standing and seated positions?	✓		
19	Is it fitted with an induction loop?		✓	

20	For those progressing to other parts of the building is information provided by signs, supported by tactile information such as a map or model?		✓	
----	---	--	---	--

General Notes for entrances including reception:  
Tactile signage may be required  
No induction loop present

Note 1. Both the main external entrance door and main internal door have a ledge/small step to be traversed – this may require levelling depending on individual disability requirements.

APPENDIX A – 4 of 9

Access Check List for VeryanCE Primary School – January 2016  
Horizontal Movement and Assembly

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is each corridor/passageway/aisle wide enough for a wheelchair user to manoeuvre and for other people to pass?	✓		
2	Is each corridor etc free from obstruction to wheelchair users and from hazards to people with impaired vision?	✓		
3	Do any lobbies allow users (including wheelchair users) to clear one door before approaching the next with minimal manoeuvre	✓		
4	Is turning space available for wheelchair users?	✓		
5	Do natural and artificial lighting avoid glare and silhouetting?	✓		
6	Are there visual clues for orientation?	✓		
7	Do floor surfaces: <ul style="list-style-type: none"> <li>• Allow ease of movement for wheelchair users?</li> <li>• Avoid light reflection and sound reverberation?</li> </ul>	✓		
8	Are direction or information signs (including means of escape) visible from both sitting and standing eye levels, and are they in upper and lower case, and large enough type to be read by those with impaired vision?	✓		
9	Are there tactile signs and information for those with impaired vision?		✓	
10	Is the maintenance of these items checked regularly?	✓		
11	Is lighting designed to meet a wide range of needs?	✓		
12	Is sufficient circulation space allowed for wheelchair users?	✓		
13	Is it maintained clear of obstructions which could create hazards for people with visual disabilities?	✓		
14	Are seating arrangements/spaces suitable for use by people with visual disabilities?	✓		
15	Are all areas for assembly/meeting equipped with an induction loop system?		✓	

General Notes for horizontal movement and assembly:  
Tactile signage and induction loop may be required





## Access Check List for VeryanCE Primary School – January 2016

Doors

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Do the doors serve a functional/safety purpose?	✓		
2	If glass, are they visible when shut?	✓		
3	Can people standing or sitting in a wheelchair see each other, and be seen from either side of the door?	✓		
4	Does the clear opening width permit wheelchair access	✓		
5	On the opening side of the door is there sufficient space (300mm) to allow the door handle to be grasped and the door swung past a wheelchair footplate?	✓		
6	Is any door furniture/handle at a height for standing/sitting use?	✓		
7	Are door/handles clearly distinguished?	✓		
8	Can the door furniture/handles be easily operated/grasped?	✓		
9	If door closers/mechanisms are fitted do they provide the following: <ul style="list-style-type: none"> <li>• security linkage?</li> <li>• delay-action closure?</li> <li>• Slow-action closure?</li> <li>• Minimum closure pressure?</li> </ul>	✓ ✓ ✓		
10	Is door/mechanism function checked regularly?	✓		

General Notes for doors:

## Access Check List for VeryanCE Primary School – January 2016

Lavatories

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is WC provision made for people with disabilities?	✓		
2	Do all lavatory areas have slip-resistant floors?	✓		
3	Are all fittings readily distinguishable from their background?	✓		
4	Are all door fittings/locks easily gripped and operated?	✓		
5	Can ambulant disabled people manoeuvre and raise and lower themselves in standard cubicles?	✓		
6	Is provision made for wheelchair users in disabled toilets?	✓		
7	Is wheelchair approach free of steps/narrow doors/obstructions etc?	✓		
8	Is the location clearly signed?	✓		
9	Is there sufficient space at entry to the compartment for wheelchair manoeuvre and door opening?	✓		
10	Are the door fittings/locks and light switches easily reached and operated?	✓		
11	Is there an emergency call system and is someone designated to respond?	✓		
12	Can the emergency call system be operated from floor level?	✓		
13	Is the wheelchair WC compartment large enough to permit manoeuvre for frontal lateral/angled/backward transfer, with or without assistance?	✓		
14	Are the fittings arranged to facilitate these manoeuvres	✓		
15	Are handwashing and drying facilities within reach of someone seated on the WC?	✓		
16	Is the tap appropriate for use by someone with limited dexterity, grip or strength?		✓	Note 1.
17	Are suitable grab rails fitted in all the appropriate positions to facilitate use of the WC?	✓		
18	Is the manoeuvring area free of obstruction, eg boxed-in pipework/radiators/cleaner's equipment/disposal bins/occasional storage, etc and is any difficulty caused by the activity of service contractors?	✓		
19	If there is more than one standard layout WC compartment provided, are they handed to offer a left-sided approach and a right-sided approach?		✓	

Note 1. Standard taps. These could be replaced with long levered handle taps if required.

Access Check List for VeryanCE Primary School – January 2016

Fixtures and Fittings

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is any server/counter accessible to all users, including those with hearing impairments?	✓		
2	Is it possible for people with disabilities to serve as volunteers?	✓		
3	Where there are display stands, bookstalls etc are they visible/reachable/accessible by people with disabilities?	✓		
4	In any eating/meeting space do tables, chairs and the layout allow for use by wheelchair users and other people with disabilities?	✓		
5	In any staff accommodation is it suitable for use by people with disabilities including wheelchair users with slip-resistant floor, reduced level kitchen units and sink and lever action taps?			N / A
6	Are all relevant locations clearly signed?			N / A

General Notes for fixtures and fittings:
--

Access Check List for VeryanCE Primary School – January 2016

Information

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is the building equipped to provide hearing assistance?		✓	
2	Does lighting installation of the building take into account the needs of people with visual disabilities?	✓		
3	Are there large-print versions of information about the building/activities available?		✓	
4	Is there braille information available for people with visual disabilities?		✓	

**General Notes for information:**

Action – Large print versions and Braille versions of information not available – to be made available on request

## Access Check List for VeryanCE Primary School – January 2016

Means of Escape

Consider each question from the perspective of each type of disability:

	Question	Y	N	Action Point
1	Is there a visible as well as audible fire alarm system?		✓	
2	Are final exit routes as accessible to all, including wheelchair users, as are the entry routes?		✓	Note 1.
3	Is there a 'management evacuation strategy' for staff, pupils and visitors, and are staff trained in evacuation procedures?	✓		
4	Is the evacuation strategy checked regularly for its effectiveness?	✓		
5	Are evacuation routes checked routinely and regularly for freedom from combustible materials/obstacles/locked doors?	✓		
6	Are all fire warning devices and detectors checked routinely and regularly	✓		

General Notes for information:  
Investigate addition of visual alarm.

Note 1. The lower emergency exit has a flight of stairs - those unable to use this exit route have two other safe exit points out of the building with ramps and this would be included in their individual risk assessment/action plan.



## Appendix B

The accessibility plan shows how access is to be improved for students with disabilities, staff and visitors to the school in a given timeframe and anticipating the need to make reasonable adjustments to accommodate their needs where practicable. Following the audit in Appendix A the key actions are below:-

Key Actions					
Term	Target	Strategy	Outcome	Time Frame	Goal Achieved
Medium term	<b>Action 1</b> Junctions between floor surfaces free from trip hazards.	Level surfaces at main external and internal entrance points to the building if necessary.			
	<b>Action 2</b> Ensure any signage and information is available in tactile form.	Ensure tactile information is provided when necessary			
Long term	<b>Action 3</b> Highlight step edging and ensure ramps are non-slip	Checks to be made; edging painted			
	<b>Action 4</b> Install induction loop	Survey to ascertain feasibility; install if feasible.			
	<b>Action 5</b> Install visual fire alarm	Survey to ascertain feasibility; install if feasible			

### Summary

Medium term plans to ensure highlighted step edging are in place.

Plans to install tactile signage and investigate the feasibility of an induction loop and visual fire alarm are in place.

Reviewed and updated by Josh Tyers – February 2018